





## Integrated surveillance of West Nile and Usutu virus

#### Epidemiological report no. 10 24 August 2022 National data

- 1 In Evidence
- 2 Humans
- 3 Horses
- 4 Resident birds of target species
- 5 Wild birds
- 6 Entomological
- 7 Poultry
- 8 Usutu virus
- National Plan for Prevention, Surveillance and Response to Arbovirus 2020-2025.







## In Evidence

This report summarizes the results of West Nile virus and the Usutu virus surveillance activities in Italy, updated to 23-8-2022

- Since June 2022, 230 confirmed cases of West Nile Virus (WNV) infection in humans have been reported in Italy; 127 WNND (29 Emilia-Romagna, 71 Veneto. 14 Piemonte, 8 Lombardia, 3 Friuli Venezia Giulia, 1 Toscana, 1 Sardegna), 37 cases identified in blood donors (5 Lombardia, 18 Veneto, 5 Piemonte, 9 Emilia Romagna ) and 63 cases of WNF (1 Piemonte, 4 Lombardia, 55Veneto 1 Friuli Venezia Giulia, 2 Emilia Romagna) 3 symptomatic case (3 Veneto). The first human case of the season was reported by Veneto in June in the province of Padova. 13 deaths were reported among the confirmed cases. In the same period, 3 cases of Usutu virus were reported from Friuli Venezia Giulia and Piemonte.
- Surveillance in mosquitoes, resident birds, wild birds, poultry and horses confirmed the circulation of WNV in Piemonte Veneto, Emilia Romagna, Lombardia, Friuli Venezia Giulia and Sardegna region. Molecular analysis confirmed Lineage 2 and Lineage 1 circulation.
- As of 10 August EU/EEA countries have reported 188 human cases of WNV infection in Italy (144), Greece (39), Austria (2), Romania (2) and Slovakia (1) and 10 deaths in Italy. EU-neighbouring countries have reported 34 human cases of WNV infection in Serbia (34) and three deaths in Serbia. (Source: ECDC 2022).

**Figure 1.** Provinces where WNV has been detected in vectors, animals and humans (blood donor, fever and neuroinvasive cases)









2

#### **Human**

Since June 2022, the start of surveillance, 230 of West Nile Virus (WNV) infection have been reported in Italy, 127 WNND (Table 1) all autochthonous cases, 37 identified in blood donors and 63 cases of fever. Details of WNND are provided below.

Region/Province		Age group				
Region/Province	<=14	15-44	45-64	65-74	>=75	Total
Piemonte						
Alessandria	1					1
Novara			1		5	6
Torino			1		1	2
Vercelli				1	4	5
Lombardia						
Brescia				2	2	4
Cremona					1	1
Lodi				1		1
Mantova					2	2
Veneto						
Padova		2	8	14	26	50
Rovigo				4	6	10
Treviso					1	1
Venezia			1	1	4	6
Verona		1	1	_	•	2
Vicenza					2	2
Friuli-Venezia Giulia						
Pordenone				1	2	3
Emilia-Romagna						-
Bologna			1			1
Ferrara			1	1	4	6
Modena			2	6	2	10
Parma			-	2	-	2
Piacenza				1	1	2
Ravenna			1	2	2	5
Reggio Emilia			1	1	1	3
Toscana			-	_	1	
Pistoia					1	1
Sardegna					-	_
Oristano				1		1
Total	1	3	18	38	67	127




Figure 1. Trend of confirmed cases of WNND by month onset of symptoms. Italy: 2012 - 2022.





3

#### **Horses**

**15 WNND** outbreaks in horses have been confirmed by the National Reference Centre for exotic diseases (CESME) in Piemonte, Friuli Venezia Giulia, Emilia Romagna, Lombardia e Veneto region .

			nia.	Equidi nei focolai			(%			
Regione	Provincia	N. Focolai	Provinci N. Focol	N. Focola clinid	Presenti	Casi totali	Con segni clinici	Morti/abbattuti	Prevalenza (%)	Letalità(%)
	Padova	4	4	48	4	4	0	0,08	0	
VENETO	Venezia	1	1	103	1	1	0	0,01	0	
	Vicenza	2	2	25	2	2	0	0,08	0	
	Cremona	1	1	3	1	1	0	0,33	0	
LOMBARDIA	Mantova	2	2	2	2	2	1	1,00	1	
	Brescia	1	1	3	1	1	0	0,33	0	
EMILIA ROMAGNA	Piacenza	1	1	101	1	1	0	0,01	0	
	Parma	1	1	46	1	1	1	0,02	100	
FRIULI VENEZIA GIULIA	Udine	1	1	1	1	1	0	1,00	0	
PIEMONTE	Cuneo	1	1	34	1	1	1	0,03	0	
Totale		15	15	366	15	15	1	0,04	0,07	

Table 2 West Nile Disease in horses- 2022



Figure 2 Geographical distribution West Nile virus detection in horses - 2022



## WN and Usutu virus integrate surveillance





#### **Resident birds of target species**

CESME confirmed WNV in **66** resident birds belong to target species from **Emilia Romagna, Lombardia, Friuli Venezia Giulia, Piemonte, Sardegna and Veneto** region. The circulating strains belong to **Lineage 2** and **Lineage 1.** 

The target species for the surveillance are:

- Magpie (Pica pica)
- Carrion crow (Corvus corone cornix)
- Eurasian jay (Garrulus glandarius)



	Piacenza	0	3	0	3
	Bologna	0	2	0	2
	Ferrara	2	14	0	16
EMILIA ROMAGNA	Ravenna	0	5	1	6
	Parma	5	1	0	6
	Rimini	0	2	0	2
	Reggio Emilia	3	4	0	7
LOMBARDIA	Milano	1	0	0	1
	Verona	2	0	0	2
VENETO	Venezia	2	0	3	5
VENETO	Padova	4	3	0	7
	Rovigo	2	2	1	5
PIEMONTE	Cuneo	1	0	0	1
SARDEGNA	Sud Sardegna	2	0	0	2
FRIULI VENEZIA GIULIA	Udine	1	0	0	1
Total		25	36	5	66

Carrion Crow Magpie

**Table 3** West Nile virus detection in birds belong to target species- **2022** 

Figure 3 Geographical distribution West Nile virus detection in birds belong to target species - 2022




Figure 2 Spatio-temporal distribution West Nile virus detection in birds belong to target species - 2022







#### Wild birds

CESME confirmed WNV in **76 wild birds** from **Veneto, Emilia Romagna, Lombardia and Sardegna** region. The circulating strains belong to **Lineage 1 and Lineage 2.** 



Figure 3 Geographical distribution West Nile virus detection in wild birds- 2022

Regione	Provincia	Specie	n.uccelli+
SARDEGNA	Nuoro	Gheppio	1
		Corvo	1
		Airone	1
		Gabbiano	5
		Colombaccio	2
	Venezia	Picchio	1
		Assiolo	1
		Merlo	5
		Rondone	4
		Civetta	4
		Cormorano	1
		Merlo	1
		Gabbiano	2
VENETO		Gufo	1
VENETO	Rovigo	Gheppio	2
		Passero	4
		Assiolo	2
		Rondone	1
		Civetta	9
		Assiolo	3
		Airone	1
	Padova	Merlo	5
		Fagiano	1
		Gabbiano	1
		Civetta	3
		Tortora	2
		Gheppio	3
LOMBARDIA	Pavia	Civetta	1
LOWIDARDIA	Varese	Civetta	1
	Bologna	Colombaccio	1
	Ferrara	Cinciallegra	1
EMILIA ROMAGNA		Colombaccio	1
	Di	Garzetta	1
	Piacenza	Merlo	1
		Gheppio	2
	Totale		76

**Table 2** West Nile virus detection in wild birds - **2022** 




Figure 4 Spatio-temporal distribution West Nile virus detection in wild birds - 2022







## **Entomological surveillance**

WNV genome has been reported in **186 mosquitoes pool** collected in **Veneto, Emilia Romagna, Piemonte, Friuli Venezia Giulia and Lombardia** region. The circulating strains belong to **Lineage 1 and Lineage 2**.



Figure 5 Geographical distribution West Nile virus detection in mosquitoes - 2022

Regione	Provincia	n.pool+	
regione	Bologna	7	
	Ferrara	13	
	Modena	16	
	Piacenza	11	
EMILIA ROMAGNA	Ravenna	2	
	Forlì Cesena	1	
	Parma	11	
	Reggio Emilia	13	
	Udine	3	
FRIULI VENEZIA GIULIA	Pordenone	2	
	Gorizia	1	
	Brescia	3	
	Lodi	1	
LOMBARDIA	Como	1	
	Mantova	5	
	Pavia	5	
	Cuneo	2	
	Asti	1	
	Alesandria	3	
PIEMONTE	Vercelli	5	
	Torino	1	
	Novara	2	
	Padova	13	
	Rovigo	27	
VENETO	Venezia	22	
VENETO	Vicenza	5	
	Verona	6	
	Treviso	4	
Totale		186	

**Table 3** West Nile virus detection in mosquitoes-**2022** 




Figure 6 Spatio-temporal distribution West Nile virus detection in mosquitoes - 2022







## **Poultry surveillance**

No WND outbreaks have been confirmed in poultry flocks.









#### **USUTU** virus surveillance

Usutu virus has been detected in 72 mosquitoes pool and 20 birds from Emilia Romagna, Lombardia, Marche, Friuli Venezia Giulia, Umbria, Toscana, Lazio and Veneto region.



Region	Province	n.pool+	
	Pesaro e Urbino	3	
MARCHE	Ancona	2	
IVIARCHE	Ascoli Piceno	1	
	Macerata	1	
	Modena	13	
	Ferrara	2	
	Ravenna	3	
EMILIA ROMAGNA	Bologna	6	
	Reggio Emilia	14	
	Parma	2	
	Ravenna	2	
FRIULI VENEZIA GIULIA	Pordenone	1	
	Latina	3	
LAZIO	Roma	3	
	Frosinone	1	
LOMBARDIA	Milano	1	
LOWIDANDIA	Brescia	2	
UMBRIA	Terni	1	
OWIDINA	Perugia	2	
	Verona	3	
VENETO	Treviso	1	
VLIVETO	Padova	2	
	Vicenza	1	
TOSCANA	Firenze	1	
SARDEGNA	Nuoro	1	
Total	72		

Table 4 Usutu virus detection in mosquitoes -2022

**Figure 7** Geographical distribution Usutu virus detection in birds and mosquitoes - **2022** 

Region	Province	n.birds+
FRIULI VENEZIA GIULIA	Udine	2
VENETO	Venezia	2
EMILIA ROMAGNA	Piacenza	1
	Bologna	5
	Rimini	2
	Forlì Cesena	4
TOSCANA	Arezzo	2
UMBRIA	Perugia	2
To	20	

Table 4 Usutu virus detection in birds -2022







# National Plan for Prevention, Surveillance and Response to Arbovirus 2020-2025

West Nile (WNV) and Usutu (USUV) viruses surveillance activities since 2020 are included in the National Plan for Prevention, Surveillance and Response to Arbovirus 2020-2025.

The Plan integrates in a unique document the surveillance measures to be implemented at the national level for autochthonous and imported arboviruses, promoting a multidisciplinary approach in the management of surveillance and control activities.

More details about the integrated surveillance plan are available on the complete document «National Plan for Prevention, Surveillance and Response to Arbovirus 2020-2025.»

National Human surveillance activities are coordinated by the National Institute of Health (Istituto Superiore di Sanità, ISS) and the Ministry of Health is responsible to provide surveillance data to the European Commission and to ECDC. Moreover regions can implement normative-programmatic documents for the epidemiological and laboratory surveillance on their territory according to National legislation and guidelines provided by the Ministry of Health .

Veterinary surveillance activities are coordinated by the National Reference Center for the exotic diseases of animals (CESME) which harmonize the diagnostic procedures within the network of IIZZSS national laboratories and confirms suspected specimens. CESME is also in charge for the veterinary surveillance data management, collection and communication to the Ministry of Health according to the data flow reported in the Plan.





#### **Useful links**

- Web page of <u>National Institute of Health</u>
- Web page of <u>Istituto Zooprofilattico Sperimentale dell'Abruzzo e del Molise</u> "G. Caporale" (CESME)
- Directions of the National Italian Blood Center
- Directions of the National Italian Transplant Center
- Web page of the Italian Ministry of Health
- Web page of <u>ECDC</u>

The weekly report is prepared by:

A. Bella, G. Venturi, F. Riccardo – Department of Infectious diseases, ISS

F. Iapaolo, F. Monaco, P. Calistri – CESME, Istituto Zooprofilattico Sperimentale dell'Abruzzo e del Molise.

We gratefully acknowledge the support from the personnel of the Regions and the Local Health Services for sampling and data collection, the National Italian Blood Center, the National Italian Transplant Center, the Italian network of the Istituti Zooprofilattici Sperimentali and the Italian Ministry of Health.